

Paratransit Package A-208



- ADA-Compliant - FMVSS 403 & 404 Compliant
- Ford standard length chassis
- 24" (61 cm) Raised Top
- NCL2 - Century 2 Series Wheelchair Lift (SIDE DOORS)
- 60" (152 cm) Raised Lift Door
- Seating: 1 wheelchair securement position + 4 ambulatory passengers **OR** 2 wheelchair securement positions + 2 ambulatory passengers (not including the driver)

Paratransit Package A-208 Specifications

- 24" (61 cm) Camper Top/Rollcage/Liner
- 60" (152 cm) Raised Lift Door
- Wheelchair Occupant Belt System (Q-Straint M Series) (Qty.2)
- 1-Passenger Bench Seat (Qty.1)
- 2-Passenger Folding Seat (Qty.1)
- Stanchion Pole (Qty.1)
- Modesty Panel/Stanchion Pole (Qty.1)
- Transit Flooring with 3/4" (2 cm) Ext. Plywood Underlayment
- ADA Decals
- Lift Light
- Stepwell Light
- Automatic Lift (Century 2 Series)
- Interlock (ADA & FMVSS 403/404)
- Drive Shaft Guard
- Wall Mount Rear Heat & Air Conditioning
- Aftermarket interior - Gray ABS Plastic (FMVSS 302 compliant)

Option selection affects the load carrying capacity of the converted vehicle. The Braun Corporation reserves the right to eliminate options or seating positions in the event the completed vehicle exceeds the maximum Gross Vehicle Weight Rating (GVWR) set by the OEM.





www.braunlift.com

ISO 9001:2000

631 West 11th Street, Winamac, IN 46996, USA Phone: 574 946 6153 Fax: 574 946 4670

All illustrations, descriptions and specifications in this guide are based on the latest product information available at the time of publication. The Braun Corporation reserves the right to make changes at any time without notice. © 2010 The Braun Corporation

Paratransit Package A-208 Dimensions



| Ford Standard Length Van - Package A-208 | | |
|--|----------------------------|-------------------|
| A | Interior Length (at floor) | 119" (302 cm) |
| B | Interior Width | 66 1/2" (169 cm) |
| C | Seat Spacing | - |
| D | Aisleway (Seats Unfolded) | 10" (25 cm) |
| E | Aisleway (Seats Folded) | 36" (91 cm) |
| F | Overall Height | 103" (262 cm) |
| G | Overall Length | 216 3/4" (551 cm) |
| H | Lift Door Height | 60" (152 cm) |
| I | Lift Door Width | 43" (109 cm) |
| J | Interior Headroom | 69" (175 cm) |

DIMENSIONS ARE FOR REFERENCE ONLY

Paratransit Package B-208





- ADA-Compliant - FMVSS 403 & 404 Compliant
- Ford standard length chassis
- 24" (61 cm) Raised Top
- NCL2 - Century 2 Series Wheelchair Lift (REAR DOORS)
- 60" (152 cm) Raised Lift Door
- Seating: 5 ambulatory passengers **OR** 2 wheelchair securement positions + 3 ambulatory passengers (not including the driver)

Paratransit Package B-208 Specifications

- 24" (61 cm) Camper Top/Rollcage/Liner
- 60" (152 cm) Raised Lift Door
- Wheelchair Occupant Belt System (Q-Straint M Series) (Qty.2)
- 2-Passenger Folding Seat (Qty.1)
- 1-Passenger Bench Seat (Qty.2)
- Stanchion Pole (Qty.1)
- Transit Flooring with 3/4" (2 cm) Ext. Plywood Underlayment
- Stepwell Light
- Automatic Lift (Century 2 Series)
- Interlock (ADA & FMVSS 403/404)
- ADA Decals
- Drive Shaft Guard
- Wall Mount Rear Heat & Air Conditioning
- Aftermarket interior - gray ABS plastic (FMVSS 302 compliant)

Paratransit Package B-208 Dimensions



| Ford Standard Length Van - Package B-208 | | |
|--|----------------------------|-------------------|
| A | Interior Length (at floor) | 119" (302 cm) |
| B | Interior Width | 66 1/2" (169 cm) |
| C | Seat Spacing | 30" (76 cm) |
| D | Aisleway (Seats Unfolded) | 10" (25 cm) |
| E | Aisleway (Seats Folded) | 36" (91 cm) |
| F | Overall Height | 103" (262 cm) |
| G | Overall Length | 216 3/4" (551 cm) |
| H | Lift Door Height | 60" (152 cm) |
| I | Lift Door Width | 46 1/2" (118 cm) |
| J | Interior Headroom | 69" (175 cm) |

DIMENSIONS ARE FOR REFERENCE ONLY

Option selection affects the load carrying capacity of the converted vehicle. The Braun Corporation reserves the right to eliminate options or seating positions in the event the completed vehicle exceeds the maximum Gross Vehicle Weight Rating (GVWR) set by the OEM.



www.braunlift.com

ISO 9001:2000

631 West 11th Street, Winamac, IN 46996, USA Phone: 574 946 6153 Fax: 574 946 4670

All illustrations, descriptions and specifications in this guide are based on the latest product information available at the time of publication. The Braun Corporation reserves the right to make changes at any time without notice. © 2010 The Braun Corporation

Paratransit Package C-208




- ADA-Compliant - FMVSS 403 & 404 Compliant
- Ford extended length chassis
- 24" (61 cm) Raised Top
- NCL2 - Century 2 Series Wheelchair Lift (SIDE DOORS)
- 60" (152 cm) Raised Lift Door
- Seating: 9 ambulatory passengers **OR** 2 wheelchair securement positions + 5 ambulatory passengers (not including the driver)

Paratransit Package C-208 Specifications

- 24" (61 cm) Camper Top/Rollcage/Liner
- 60" (152 cm) Raised Lift Door
- Wheelchair Occupant Belt System (Q-Straint M Series) (Qty.2)
- 2-Passenger Bench Seat (Qty.1)
- 1-Passenger Bench Seat (Qty.2)
- 2-Passenger Folding Seat (Qty.2)
- Stanchion Pole (Qty.1)
- Modesty Panel/Stanchion Pole (Qty.1)
- Transit Flooring with 3/4" (2 cm) Ext. Plywood Underlayment
- Lift Light
- Stepwell Light
- Automatic Lift (Century 2 Series)
- Interlock (ADA & FMVSS 403/404)
- ADA Decals
- Drive Shaft Guard
- Ceiling Mount Rear Air Conditioning
- Floor Mount Rear Heater
- Aftermarket interior - gray ABS plastic (FMVSS 302 compliant)

Option selection affects the load carrying capacity of the converted vehicle. The Braun Corporation reserves the right to eliminate options or seating positions in the event the completed vehicle exceeds the maximum Gross Vehicle Weight Rating (GVWR) set by the OEM.

Paratransit Package C-208 Dimensions



| Ford Extended Length Van - Package C-208 | | |
|--|----------------------------|-------------------|
| A | Interior Length (at floor) | 138" (351 cm) |
| B | Interior Width | 66 1/2" (169 cm) |
| C | Seat Spacing | 31" (79 cm) |
| D | Aisleway (Seats Unfolded) | 10" (25 cm) |
| E | Aisleway (Seats Folded) | 36" (91 cm) |
| F | Overall Height | 103" (262 cm) |
| G | Overall Length | 237 3/4" (604 cm) |
| H | Lift Door Height | 60" (152 cm) |
| I | Lift Door Width | 43" (109 cm) |
| J | Interior Headroom | 69" (175 cm) |

DIMENSIONS ARE FOR REFERENCE ONLY



www.braunlift.com

ISO 9001:2000

631 West 11th Street, Winamac, IN 46996, USA Phone: 574 946 6153 Fax: 574 946 4670

Paratransit Package D-208



- ADA-Compliant - FMVSS 403 & 404 Compliant
- Ford extended length chassis
- 24" (61 cm) Raised Top
- NCL2 - Century 2 Series Wheelchair Lift (REAR DOORS)
- 60" (152 cm) Raised Lift Door
- Seating: 7 ambulatory passengers **OR** 2 wheelchair securement positions + 3 ambulatory passengers (not including the driver)

Paratransit Package D-208 Specifications

- 24" (61 cm) Camper Top/Rollcage/Liner
- 60" (152 cm) Raised Lift Door
- Wheelchair Occupant Belt System (Q-Straint M Series) (Qty.2)
- 2-Passenger Folding Seat (Qty.2)
- 1-Passenger Bench Seat (Qty.2)
- Stanchion Pole (Qty.1)
- Transit Flooring with 3/4" (2 cm) Ext. Plywood Underlayment
- Lift Light
- Stepwell Light
- Automatic Lift (Century 2 Series)
- Interlock (ADA & FMVSS 403/404)
- ADA Decals
- Drive Shaft Guard
- Ceiling Mount Rear Air Conditioning
- Floor Mount Rear Heater
- Passenger Side Full Length Running Board
- Aftermarket interior - gray ABS plastic (FMVSS 302 compliant)

Option selection affects the load carrying capacity of the converted vehicle. The Braun Corporation reserves the right to eliminate options or seating positions in the event the completed vehicle exceeds the maximum Gross Vehicle Weight Rating (GVWR) set by the OEM.




www.braunlift.com

ISO 9001:2000

631 West 11th Street, Winamac, IN 46996, USA Phone: 574 946 6153 Fax: 574 946 4670

Paratransit Package D-208 Dimensions



| Ford Extended Length Van - Package D-208 | | |
|--|----------------------------|-------------------|
| A | Interior Length (at floor) | 138" (351 cm) |
| B | Interior Width | 66 1/2" (169 cm) |
| C | Seat Spacing | 31" (79 cm) |
| D | Aisleway (Seats Unfolded) | 10" (25 cm) |
| E | Aisleway (Seats Folded) | 36" (91 cm) |
| F | Overall Height | 103" (262 cm) |
| G | Overall Length | 237 3/4" (604 cm) |
| H | Lift Door Height | 60" (152 cm) |
| I | Lift Door Width | 46 1/2" (118 cm) |
| J | Interior Headroom | 69" (175 cm) |

DIMENSIONS ARE FOR REFERENCE ONLY

Paratransit Package E-208



- ADA-Compliant - FMVSS 403 & 404 Compliant
- Ford extended length chassis
- 30" (76 cm) Raised Top
- NCL2 - Century 2 Series Wheelchair Lift (SIDE DOORS)
- 60" (152 cm) Raised Lift Door
- Seating: 8 ambulatory passengers **OR** 1 wheelchair securement positions + 6 ambulatory passengers (not including the driver)

Paratransit Package E-208 Specifications

- 30" (76 cm) Transit Top/Rollcage/Liner
- Raised Front Passenger Door
- Stepwell Kit
- Door Operator
- 60" (152 cm) Raised Lift Door
- Wheelchair Occupant Belt System (Q-Straint M Series) (Qty.2)
- 2-Passenger Folding Seat (Qty.1)
- 2-Passenger Bench Seat (Qty.2)
- 1-Passenger Bench Seat (Qty.2)
- Stanchion Pole (Qty.1)
- Modesty Panel/Stanchion Pole (Qty.2)
- Transit Flooring with 3/4" (2 cm) Ext. Plywood Underlayment
- Lift Light
- Stepwell Light
- First Aid Kit (10 Unit)
- Reflector Kit
- 5 Pound Fire Extinguisher
- Backup Alarm
- Automatic Lift (Century 2 Series)
- Interlock (ADA & FMVSS 403/404)
- ADA Decals
- Drive Shaft Guard
- Ceiling Mount Rear Air Conditioning
- Floor Mount Rear Heater
- Aftermarket interior - gray ABS plastic (FMVSS 302 compliant)

Option selection affects the load carrying capacity of the converted vehicle. The Braun Corporation reserves the right to eliminate options or seating positions in the event the completed vehicle exceeds the maximum Gross Vehicle Weight Rating (GVWR) set by the OEM.




www.braunlift.com

ISO 9001:2000


631 West 11th Street, Winamac, IN 46996, USA Phone: 574 946 6153 Fax: 574 946 4670

All illustrations, descriptions and specifications in this guide are based on the latest product information available at the time of publication. The Braun Corporation reserves the right to make changes at any time without notice. © 2010 The Braun Corporation

Paratransit Package E-208 Dimensions



| Ford Extended Length Van - Package E-208 | | |
|--|----------------------------|-------------------|
| A | Interior Length (at floor) | 138" (351 cm) |
| B | Interior Width | 66 1/2" (169 cm) |
| C | Seat Spacing | 31" (79 cm) |
| D | Aisleway (Seats Unfolded) | 10" (25 cm) |
| E | Aisleway (Seats Folded) | 36" (91 cm) |
| F | Overall Height | 114 1/2" (291 cm) |
| G | Overall Length | 237 3/4" (604 cm) |
| H | Lift Door Height | 60" (152 cm) |
| I | Lift Door Width | 43" (109 cm) |
| J | Interior Headroom | 74 1/2" (189 cm) |
| K | Stepwell Opening Width | 21 1/4" (54 cm) |
| L | Front Door Height | 85 1/2" (217 cm) |
| M | Front Door Width | 17 1/2" (44 cm) |
| N | APD - Lift Door Height | 69" (175 cm) |
| O | APD - Lift Door Width | 43" (109 cm) |
| P | APD - Front Door Height | 85 1/2" (217 cm) |
| Q | APD - Front Door Width | 26 3/4" (68 cm) |



Optional APD Door

DIMENSIONS ARE FOR REFERENCE ONLY

Paratransit Package F-208



- ADA-Compliant - FMVSS 403 & 404 Compliant
- Ford extended length chassis
- 30" (76 cm) Raised Top
- NCL2 - Century 2 Series Wheelchair Lift (SIDE DOORS)
- 60" (152 cm) Raised Lift Door
- Seating: 8 ambulatory passengers **OR** 3 wheelchair securement positions + 2 ambulatory passengers (not including the driver)

Paratransit Package F-208 Specifications

- 30" (76 cm) Transit Top/Rollcage/Liner
- Raised Front Passenger Door
- Stepwell Kit
- Door Operator
- 60" (152 cm) Raised Lift Door
- Wheelchair Occupant Belt System (Q-Straint M Series) (Qty.2)
- 2-Passenger Folding Seat (Qty.3)
- 1-Passenger Bench Seat (Qty.2)
- Stanchion Pole (Qty.1)
- Modesty Panel/Stanchion Pole (Qty.2)
- Transit Flooring with 3/4" (2 cm) Ext. Plywood Underlayment
- Lift Light
- Stepwell Light
- First Aid Kit (10 Unit)
- Reflector Kit
- 5 Pound Fire Extinguisher
- Backup Alarm
- Automatic Lift (Century 2 Series)
- Interlock (ADA & FMVSS 403/404)
- ADA Decals
- Drive Shaft Guard
- Ceiling Mount Rear Air Conditioning
- Floor Mount Rear Heater
- Aftermarket interior - gray ABS plastic (FMVSS 302 compliant)

Option selection affects the load carrying capacity of the converted vehicle. The Braun Corporation reserves the right to eliminate options or seating positions in the event the completed vehicle exceeds the maximum Gross Vehicle Weight Rating (GVWR) set by the OEM.




www.braunlift.com

ISO 9001:2000


631 West 11th Street, Winamac, IN 46996, USA Phone: 574 946 6153 Fax: 574 946 4670

All illustrations, descriptions and specifications in this guide are based on the latest product information available at the time of publication. The Braun Corporation reserves the right to make changes at any time without notice. © 2010 The Braun Corporation

Paratransit Package F-208 Dimensions



| Ford Extended Length Van - Package F-208 | | |
|--|----------------------------|-------------------|
| A | Interior Length (at floor) | 138" (351 cm) |
| B | Interior Width | 66 1/2" (169 cm) |
| C | Seat Spacing | 31" (79 cm) |
| D | Aisleway (Seats Unfolded) | 10" (25 cm) |
| E | Aisleway (Seats Folded) | 36" (91 cm) |
| F | Overall Height | 114 1/2" (291 cm) |
| G | Overall Length | 237 3/4" (604 cm) |
| H | Lift Door Height | 60" (152 cm) |
| I | Lift Door Width | 43" (109 cm) |
| J | Interior Headroom | 74 1/2" (189 cm) |
| K | Stepwell Opening Width | 21 1/4" (54 cm) |
| L | Front Door Height | 85 1/2" (217 cm) |
| M | Front Door Width | 17 1/2" (44 cm) |
| N | APD - Lift Door Height | 69" (175 cm) |
| O | APD - Lift Door Width | 43" (109 cm) |
| P | APD - Front Door Height | 85 1/2" (217 cm) |
| Q | APD - Front Door Width | 26 3/4" (68 cm) |



Optional APD Door

DIMENSIONS ARE FOR REFERENCE ONLY